NOTES:

1. MATERIALS AND FINISHES(PLATING THICKNESS IN MICRO-INCHES):

BODY - BRASS, NICKEL PLATING
CONTACT - BRASS, GOLD PLATING
INSULATOR - PTFE. NATURAL

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM

B. FREQUENCY RANGE: DC -4 GHz

C. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.

3. MECHANICAL:


A. DURABILITY: 500 CYCLES MIN.

B. TEMPERATURE RANGE: - 65°C to +165°C

 WHEN CRIMPING FERRULE TO CABLE, CRIMP WITH AMPHENOL TOOL 277-944 (M22520/5-01) AND DIE SET 227-1221-13 CAVITY 'A (M22520/5-13,CLOSURE 'A')

5. ÎTEM 8 ÎS USED FOR RG62 CABLE ONLY

 USE WITH RG 59 AND BELDEN 8221, 8241, 8241A, 8241F, 8263, 8279A, 9209, 9209A, 9244 CABLES.




THIRD ANGLE PROJ.


 $\oplus \ \dashv$


REVISIONS				
REV	DESCRIPTION	DATE	ECO	APPR
A2	APPEARANCE WAS CHANGED\N/A	16-Apr-03		TONY
А3	SEE SHEET 1	17-Mar-05		SH
A4	SEE SHEET 1	30-Jun-05		SH
В	SEE SHEET 1	28-Sep-06		SH
ΑE	SEE SHEET 1	21-Sep-10	47921	SH
AF	NOTE 5 WAS CHANGE\RD-DM11071101R3	02-Aug-11	48675	SH


RECOMMENDED

CABLE STRIPPING DIM'S









CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ±0.05mm ±0.1mm ±0.2mm ±0.3mm ±1°.

NOTICE — These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

	MATERIAL	DRAWN
		R.MAO
		ENGINEER
		IC WANC
	REFERENCE	011111111
		APPROVED
s		S.HSIE
ıу		CAD FILE

DRAWN	DATE	
R.MAO	22-Jul-11	
ENGINEER	DATE	
C.WANG	22-Jul-11	
APPROVED	DATE	
S.HSIEH	22-Jul-11	_
CAD FILE		

F:\DWG\CNPD\31\321\00-AFSZ

TITLE	
BNC PLUG MIL-CRIMP	23329
BNC PLUG MIL-CRIMP (FOR RG-59/U, 62/U	CABLE

Amphenor M				
Danbury CT USA, Tainan Taiwan, Shenzhen China				
www.amphenolrf.com				
DRAWING NO.31-321				
ITEM NO. 31 301				

Amphenal RF

SCALE: 3/1	SHEET	2 OF 2
DWG SIZE	CODE ID	REV
В	74868	AF

DRAWING N	^{0.} 31–321	
ITEM NO.	31-321	
PART NO.	31-321	